



EQUIPING HOSPITALS.

www.mogodhealthcare.com


CONTENT



ABOUT US		01
WHAT WE ENTAIL		02
Our Vision		02
Mission Statement		02
Our Strategy		02
HOSPITAL FURNITURE		03
Wheel Chair		10
Dental Treatment		14
LIFE SURPORT SOLUTION		20
Mental And Neonatal Healthcare		24
ANALYZER		29
Centrifuge Refrigerator	ĺ	32
Microscope		35
Cabinet		38
IMAGING		44
MRI CT		44
DR		46
Ultrasound System		48
Endoscopy System		50
CSSD		51
Sterilizing Equipment		51
TREATMENT EQUIPMENT		52
Lithotryspy Equipment		52
Hemodialysis Equipment		53
OPTICAL INSTRUMENTS		54
VERTINARY EQUIPMENT		55

ON







About **us**

Established in 2008, Mogod healthcare has grown to be the premier solutions provider for Medical Equipment and Supplies within the region. Whether you are looking to equip a healthcare center or implement a national project, Mogod healthcare is able to respond with the correct quality at internationally competitive pricing. All that, is backed up by a team of professionally factory trained engineers. Apicalmed is a reputable distributor/supplier of all types of medical equipment and consumables mainly in East Africa and South Sudan. Our goal is to reach the rest of Africa as the supplier of choice. We work with various well-known manufacturers and supply only approved equipment and consumables that have passed test of time. We pride ourselves in Quality products and Customer satisfaction is a virtue and our legacy.

We are always exploring new business relations and stand ready to engage in strategic partnerships and building healthy Business to Business (B2B) rapport. With broad reach in East African countries and a total team of over 30 professionals, we hope that in Apicalmed you will find a correct partner. A partner that shall deliver

with value and on time. A partner that shall enable you carry out your core business "treating the patient". Apicalmed Ltd has the exility and experience to respond to healthcare needs at all levels, from the smallest local facility to projects on a national scale. With a wide range of in-house stocks at our premises,

we are also able to deal with rapid reaction to emergency situations, as well as long term requirements. Brochure Template Page No - 02



Equipping products from a worldwide reputable network of partners, thus generating a wide product portfolio which creates a sustainable competitive advantage. The operations of the company consolidate the import, distribution, technical support and maintenance of medical devices; equipment and disposables. The company is active in East Africa with a remarkable head office, showroom, warehouse and seminar room in Nairobi Kenya. Our main customer portfolio is: Public and Private Hospitals, Nursing Homes, Pharmacies, Vet Clinics. The company's aim is to stand behind its name, to be the preferred organization partner and to strive for excellence by providing superior quality and advanced products and services to its valued customers.

We are aiming in providing total customer-oriented solutions. The company's vision is to maintain a leading position in delivering advanced products/services to the healing professional hands as a result of improving our Healthcare sector and wellbeing of our homecare clients. Moreover, to provide added value to our customers by enhancing our wide range of products/service and therefore be heir total solution provider.

Our STRATEGY

We have a clear long-term strategy which is based on our purpose, vision, mission and values. It is the foundation which helps us successfully to shape the future of our company.

Our long-term strategy is to see Apical Med Limited generate continued profitable growth, to become more customer-focused, more innovative, more agile and fully digitized in our internal processes and customer-facing activities.

To achieve this ambition, we will focus on strategic priorities and financial ambitions for the coming years. In addition, we aim to promote sustainability in all our business activities, reinforcing our leading position.

MISSION Statement

To be the recognized Regional Market Leader in provision of

Medical Equipment and Supplies whilst enhancing the standards

within the Health Industry.

Our VISION

To enhance 'the value of shareholders' funds and be the recognized market leader in provision of Medical Equipment and Supplies within the region.

To provide quality equipment and supplies to the medical fraternity through customer focus, appropriate solutions and corporate social responsibility.



HOSPITAL FURNITURES.







1 FUNCTION ELECTRIC HOSPITAL BED AM-DK-11L

- + Detachable ABS head/foot board
- + Collapsible aluminum alloy guardrails
- Integrated stamping frame and mattress base are made of steel epoxy
- + I.V. Pole & Drainage hook with PU cover
- + Heavy duty caster with brakes 5"
- + Back adjustment by 1 motor
- + Hand remote control

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION



EXAMINATION BED (ELECTRIC MOTOR) AM-BC16

- + The electric couch, High grade mild steel frame coated
- + Cushioned with foam mattress, leather covered, waterproof.
- + Back rest adjustable and Knee rest downwards by Gas Spring control.
- + Height Adjustable by electric motor.
- + Pedal control and Silent castor.
- Mattress color can change by requirements.



EXAMINATION BED (ELECTRIC MOTOR) AM-BC13

 The examination couch, High grade mild steel frame, Cushioned with foam mattress, leather covered and waterproof. Height adjustable by electric motor, Backrest adjustable by Gas Spring. Pedal control and Silent Castor



5 Function Luxury Electric Hospital Bed AM-ICU-5

- With easily operated touching switch, solve the problem of limited service life of mechanical keypad and keypad invalid due to constantly operating.
- Insert touching switch in the 2 pcs side rail at the head side, for patient adjust bed posture easily. Also a touching switch system at the foot board, with Patient Lock-Out system, for nursing person's operation





PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

5 Function Luxury Electric Hospital Bed AM-ICU-6

- With easily operated touching switch, solve the problem of limited service life of mechanical keypad and keypad invalid due to constantly operating
- ◆ Insert touching switch in the 2 pcs side rail at the head side, for patient adjust bed posture easily. A 10.2" touching screen at the foot board, display all the bed posture figures with Patient Lock-Out system, for nursing person's position



5 Function Electric Hospital Bed AM-DK-55K

- + Detachable ABS head/foot board
- + Collapsible ABS guardrails
- + Embedded rails control
- + Embedded nurse on the foot board
- + Integrated stamping frame and mattress base are made of steel epoxy
- + I.V. Pole & Drainage hook with PU cover
- + Center control lock



8 Function Electric Hospital Bed AM-DK-8K

- Nurse controller & Rail controller
- + Linak electric motor
- + Drainage hook
- + Angle scale
- + CPR handle
- + Rise-and-fall guide wheel
- + Detachable PP head and foot board &PP side rail



5 Function Electric Hospital Bed AM-DK-51L

- + Detachable ABS head/foot board
- + Collapsible aluminum alloy guardrails
- + Integrated stamping frame and mattress base are made of steel epoxy
- + I.V. Pole & Drainage hook with PU cover
- + Heavy duty caster with brakes 5"
- + Hand remote control
- Back, Knee, Hi/Low, Trendelenburg & Anti-Trendelenburg adjustment by
 A maters.





5 Function Electric Hospital Bed AM-DK-58K

- + 4-sectioned steel mattress base. And bed frame is made of steel epoxy, polyester powder coated and baked finish.
- + Collapsible ABS guardrails
- * Back, Knee, Hi/Low, Trendelenburg & Anti-Trendelenburg adjustment by
- + Detachable ABS head/foot board, it locked with a safety switch
- + I.V Pole & Drainage with PU cover



3 Function Electric Hospital Bed AM-DK-31L

- + Detachable ABS head/foot board
- + Collapsible aluminum alloy guardrails
- + Integrated stamping frame and mattress base are made of steel epoxy
- + I.V. Pole & Drainage hook with PU cover
- + Heavy duty caster with brakes 5"
- + Back, Knee, Hi/Lo adjustment by 3 motors
- + Hand remote control

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION



3 Function Electric Hospital Bed AM-DK-38L

- + Detachable ABS head/foot board
- + Collapsible ABS guardrails
- + Integrated stamping frame and mattress base are made of steel epoxy
- + I.V. Pole & Drainage hook with PU cover
- Heavy duty caster with brakes 5"
- + Back, Knee, Hi/Lo adjustm ent by 3 motors
- + Hand remote control



1 FUNCTION ELECTRIC HOSPITAL BED AM-DK-11L

- + Detachable ABS head/foot board
- + Collapsible aluminum alloy guardrails
- + Integrated stamping frame and mattress base are made of steel epoxy
- + I.V. Pole & Drainage hook with PU cover
- + Heavy duty caster with brakes 5"
- + Back adjustment by 1 motor
- + Hand remote control





PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

Water Mattress Bedsore Prevention AM-W02

- + Static mattress overlay
- + Made with heavy duty PVC for durability and comfort
- Constructed with 3 independent pieces for better body contour and pressure relief
- + Outer air frame to provide additional support and security



Examination Bed (Manual) AM-BC15

 The Gynecological Couch, Stainless Steel Frame, Cushioned With Foam Mattress, Leather Covered, waterproof. Leg Holder Adjustable And S.S Basin. Backrest Adjustable And Knee-rest Downwards By Double Ratchet Mechanism.



Baby Bed AM-BD03

- + Full stainless steel with transparent ABS basin and castor.
- + This bed can take a bath or sleeping.



Baby Bed AM-BD04

- + Full stainless steel with transparent GRP basin and castor.
- + Four small flexible casters,can be braked respectively and without noise.
- + This bed can take a bath or sleeping.





Baby Bed AM-BD05

- + Full stainless steel frame.
- + Four small flexible casters,can be braked respectively and without noise.
- + Collapsible stainless steel side rail



Children Bed AM-BD01

- + 2-sectioned steel coated mattress base. And bed frame is made of steel
- epoxy,

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

- + Polyester powder coated and baked finish.
- + Collapsible steel coated guardrails
- + I.V Pole & Drainage with PU cover
- Heavy duty castor with brakes
- + Manual crank system 1 set



Children Bed AM-BD10

- + 4-sectioned steel coated mattress base. And bed frame is made of steel
- epoxy,
- + Polyester powder coated and baked finish.
- Collapsible steel coated guardrails
- + I.V Pole & Drainage with PU cover
- Heavy duty castor with brakes
- + Manual crank system 2 set (stainless steel crank)



5 Function Manual Hospital Bed AM-MK-51L

- + Detachable ABS head/foot board
- + Collapsible aluminum alloy guardrails
- + Integrated stamping frame and mattress base are made of steel epoxy
- + I.V. Pole & Drainage hook with PU cover
- + Heavy duty caster with brakes 5"
- Back adjustment by 1 motor
- + Hand remote control





PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

4 Function Traction Bed AM-MK-G2U

- + 4-sectioned steel mattress base. And bed frame is made of steel
- + epoxy,Polyester powder coated and baked finish.
- + Collapsible Aluminium Alloy guardrails
- Detachable ABS head/foot board, it locked with a safety switch
- + I.V Pole & Drainage with PU cover
- + 5" silent castors with brake
- + Load bearing capacity is over 180kg



2 Function Traction Bed AM-MK-G2L

- + 4-sectioned steel mattress base. And bed frame is made of steel
- + epoxy,Polyester powder coated and baked finish.
- + Collapsible Aluminum Alloy guardrails
- + Detachable ABS head/foot board, it locked with a safety switch
- + I.V Pole & Drainage with PU cover
- + 5 silent castors with brake
- + Load bearing capacity is over 180kg



5 Function Manual Hospital Bed AM-MK-51K

- + 4-sectioned steel mattress base. And bed frame is made of steel epoxy, Polyester powder coated and baked finish.
- + Collapsible Aluminum Alloy guardrails
- + Detachable ABS head/foot board, it locked with a safety switch
- + I.V Pole & Drainage with PU cover
- Center control lock system
- + Load bearing capacity is over 180kg



3 Function Manual Hospital Bed AM-MK-31K

- 4-sectioned steel mattress base. And bed frame is made of steel epoxy,
 Polyester powder coated and baked finish.
- + Collapsible Aluminum Alloy guardrails
- + Detachable ABS head/foot board, it locked with a safety switch
- + I.V Pole & Drainage with PU cover
- + 5 silent castors with brake
- + Load bearing capacity is over 180kg



WHEEL CHAIR.

www.mogodhealthcare.com

Brochure Template Page No - 11

PRODUCT IMAGE DESCRIPTION



Electronic Wheelchair Scale AM-TCS.A-200-RT

- + Max weighing:200kg
- + Division:100g
- Display: LCD

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

- + G.W:35kg, N.W:25kg
- + Measurement: 77×64×112.5cm



Electronic Wheelchair Scale AM-TCS.B-200-RT

+ Max weighing: 200kg

Division: 100g

+ Display: LCD

+ GW: 35kg NW: 25kg

Measurement: 77×64×114cm20GP: 54pcs; 40HQ: 114pcs



Ruler Wheelchair Scale AM-RGT.B1-200-RT

+ Max weighing: 160/200kg

+ Division: 100g

+ GW: 35kg NW: 25kg

+ Measurement: 77×64×114cm

+ 20GP: 54pcs; 40HQ: 114pcs



Aluminum Wheelchair AM-9585

- + 17" seat width
- + Aluminum frame with steel cross bar
- + Fixed armrest and footrest
- + Loop and hand brake combined
- + 6" front castor and 22" rest spoken wheel with pneumatic tire





Transport Wheelchair AM-9580A

- + 17" seat width
- + Aluminum frame with power-coating finish
- + Fixed armrest and detachable footrest
- + 4*8" castors

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION



Aluminum Wheelchair AM-9565

- + 19" seat width
- + Foldable backrest
- Flip up armrest and fixed footrest
- + 6" front castor and 12" rest spoken wheel with PU tire



Aluminum Wheelchair AM-9560

- + 17" seat width
- + Foldable backrest
- + Fixed armrest and swing-away footrest
- + Loop and hand brake combined
- 6" front castor and 12" rest spoken wheel with PU tire



Lightweight Wheelchair AM-9555

- + 17" seat width
- + Foldable backrest
- Fixed armrest and swing-away footrest
- + Loop and hand brake combined
- + 6" front castor and 12" rest spoken wheel with PU tire





Aluminum Wheelchair AM-9509

- + Flip up armrest and swing-away footrest
- + 8" front castor and 24" rear spoken wheel with PU tire
- + Foldable backrest

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

+ Adjustable seat height



Reclining Wheelchair AM-9035A/9035B

- + 17" seat width
- + Steel frame with coating finish
- + Detachable armrest and elevating footrest
- + Loop and hand brakes for easy using
- + 8" front castor and 24" rear spoken wheel with solid tire



Child Wheelchair AM-9030A/9030B/9030C

- + 14" seat width
- + Fixed armrest and footrest
- + PVC leather upholstery
- + Steel frame with chrome finish
- + 6" front castor and 20" rear spoken wheel with PU tire



Steel Wheelchair AM-9025/9025PMD

- + 18" seat width
- + Detachable armrest and elevating footrest
- + PVC leather upholstery
- + Steel frame with chrome finish
- + 8" front castor and 24" rear spoken wheel with pneumatic tire



DENTAL EQUIPMENTS.

www.mogodhealthcare.com





Dental Unit AM-DU-2311

• Work Unit Control Panel Assistant Unit Control Panel Dentist Work Unit With drop-proof angle and can be equipped with up to 5 instruments including scaler and handpieces. Assistant Unit 4 holders assistant unit with anteroposterior position design equipped with standard syringe, saliva ejector and strong suction, also can be optional equipped with curing light. Ceramic Cuspidor Enameled ceramic is safe and easy to use.



PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

Swivel Chair For Medical (Doctor Chair) AM-1900ET

- + Can carry 100kg without deformation and crack phenomenon...
- + Seat lift range: 470mm-600mm.
- + Dimension:L640×W640×H720mm (mm).
- With sliding wheels at the bottom, when doctors are operating, it can be moved freely.



Dental Cone Beam Computed Tomography System AM-ADM-3000A

 Oral and maxillofacial cone beam computed tomography equipment (dental CT) with 12cmX15cm flat panel detector, can be widely used in oral and maxillofacial surgery, orthodontics, orthognathic surgery, implant, dental, temporomandibular joint Preoperative and postoperative.



Dental Unit AM-DU-8900 (18)

Work Unit Control Panel Assistant Unit Control Panel Dentist Work Unit
With drop-proof angle and can be equipped with up to 5 instruments
including scaler and handpieces. Assistant Unit 4 holders assistant unit
with anteroposterior position design equipped with standard syringe,
saliva ejector and strong suction, also can be optional equipped with
curing light. Ceramic Cuspidor Enameled ceramic is safe and easy to
use.





Foldable Type Dental Unit AM-DU-8900 (18)

Work Unit Control Panel Assistant Unit Control Panel Dentist Work Unit
 With drop-proof angle and can be equipped with up to 5 instruments
 including scaler and handpieces. Assistant Unit 4 holders assistant unit
 with anteroposterior position design equipped with standard syringe,
 saliva ejector and strong suction, also can be optional equipped with
 curing light. Ceramic Cuspidor Enameled ceramic is safe and easy to
 use.



Dental Unit AM-DU-8000 (18)

Work Unit Control Panel Assistant Unit Control Panel Dentist Work Unit With drop-proof angle and can be equipped with up to 5 instruments including scaler and handpieces. Assistant Unit 4 holders assistant unit with anteroposterior position design equipped with standard syringe, saliva ejector and strong suction, also can be optional equipped with curing light. Ceramic Cuspidor Enameled ceramic is safe and easy to



PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

Dental Unit AM-DU-9000

Work Unit Control Panel Assistant Unit Control Panel Dentist Work Unit
 With drop-proof angle and can be equipped with up to 5 instruments
 including scaler and handpieces. Assistant Unit 4 holders assistant unit
 with anteroposterior position design equipped with standard syringe,
 saliva ejector and strong suction, also can be optional equipped with
 curing light. Ceramic Cuspidor Enameled ceramic is safe and easy to
 use.



Dental Unit AM-DU-2305

Work Unit Control Panel Assistant Unit Control Panel Dentist Work Unit
 With drop-proof angle and can be equipped with up to 5 instruments
 including scaler and handpieces. Assistant Unit 4 holders assistant unit
 with anteroposterior position design equipped with standard syringe,
 saliva ejector and strong suction, also can be optional equipped with
 curing light. Ceramic Cuspidor Enameled ceramic is safe and easy to

USE



PROBICO UCA GUAGE DESCRIPCION DESCRIPCION DE SCRIPCION DE



Dental Unit (For Child) AM-DTC-326

Work Unit Control Panel Assistant Unit Control Panel Dentist Work Unit
 With drop-proof angle and can be equipped with up to 5 instruments
 including scaler and handpieces. Assistant Unit 4 holders assistant unit
 with anteroposterior position design equipped with standard syringe,
 saliva ejector and strong suction, also can be optional equipped with
 curing light. Ceramic Cuspidor Enameled ceramic is safe and easy to
 use.



Dental X-Ray Unit AM-ADM-10D

+ Classification: Electrometrical, Class I, Type B

+ Power supply: 220V±10%, 50Hz, lkVA

Tube voltage: 60KVp

Tube current: 8mA

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

RODUCT DESCRIPTION

+ Focus size: 1.5mm

Total filtration: 2.5mmAL

+ Exposure time: 0.2 to 4 sec



Dental X-Ray Unit ADM-10B

+ Classification: Electrometrical, Class I, Type B

+ Power supply: 220V±10%, 50Hz, lkVA

Tube voltage: 60KVpTube current: 8mA

+ Focus size: 1.5mm

+ Total filtration: 2.5mmAL

+ Exposure time: 0.2 to 4 sec



Dental Endoscope System AM-AC-192

- 1. New model of 1/4 COMS high resolution intra or camera connect 17inch LCD screen.
- + 17inch LCD can freely adjust contrast, lightness and color.
- + With high resolution, high performance and auto-focus.
- + Built in 6pcs high brightness long-lift white LED.
- + The front three control button: Freeze, Save, Previous imager Next, image
- + delete. And the reverse side control buttons: Freeze and Save.





PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

Dental Suction System AM-S-750L

During dental treatments, waste water, saliva, blood, and filling materials create a microscopic cloud of debris that is released into the oral cavity and is then exhaled by the patient. Without a high-quality dental suction unit, dentist and dental assistants are at risk of inhaling this debris along with the plethora of microorganisms found inside the human mouth. The patient is also at risk of aspirating the debris into the lungs or potentially choking on the build-up of saliva during the treatment.



Dental Care Model (28pcs) AM-K1

- + This model is enlarged approx.5 times.
- + It can be used for the training of tooth brushing, dental care, etc



Dental Care Model (28pcs) AM-K2

- + This model is enlarged approx.3 times.
- + It can be used for the training of tooth brushing, dental care, etc



Luxurious Dental Care Model (32pcs, Backout) AM-K3

- + This model is enlarged approx.5 times.
- + It can be used for the training of tooth brushing, dental care, etc





Dental Care Model (With Cheek) AM-K4

+ This model is life size.

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

+ It can be used for the training of tooth brushing, dental care, etc



Handheld High Frequency Dental X-Ray Unit AM-ADM-10P

+ Frequency: 32KHZ

+ Tube voltage: 60KV

+ Tube current: 1.5mA

+ Exposure time: 0.02-4sec

+ Distance from skin to cone: 130mm

+ Tube focus: 0.3mm*0.3mm

+ Output voltage: DC16.8V



High Frequency Dental X-Ray Unit AM-ADM-10A

 Power supply: AC220V±10% or AC110V±10%, 50/60HZ

+ Frequency: 200KHZ

+ Tube voltage: 70KV

+ Tube current: 8mA

+ Focus size: 0.8mm

+ Total filtration: 2.5mmAL



Digital Dental X-Ray Sensor AM-DS530

- Material: APS
 Sensing area:30X20mm (600mm2)
- + Sensor Pixels:3.2 million pixels
- + Pixel size:19x19um
- + Resolution:> 20 lp / mm
- + Gray scale:12 bit
- + Life:> 100000 times





PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

Modular Patient Monitor AM-800D

- + Integrated plug in modular, 12.1" colorful and clear tft display.
- + Standard 6 parameters and optional single plug-in parameter box.
- Touch screen available; able to be operated by keyboard or optional mouse.
- + With durable trim knob and backlight silicone buttons.
- Simultaneously display at least 10 parameters, 13 kinds of arrhythmia analysis.



Hand-Held EtCO2+SpO2 Monitor AM-HC-25

+ The HC-25 CO2/SpO2 monitor is a compact handful monitor which provides accurate CO2 /SpO2 monitoring. The system's reliable performance, ease of use, flexible design and affordable cost makes it the ideal monitoring solution for adult, pediatric and infant patients; patients undergoing procedural sedation; and short- term monitoring of patients.CO2 and respiration rate. The system uses with a 2.8 inch colorful LCD and its Lithium battery can support 8 hours at most.



Cold Light Operating Lamp AM-YD01-IE LED (Emergency)

- YD01-IE (LED) AC/DC cold light operating lamp meets the requirements of lighting for surgical operations in special circumstances or where there is no power supply.
- * When there is power failure from electric grid or due to some other reasons, emergency power back up can last 3hours continuously to make sure that the operation can be done normally.



Cold Light Operating Lamp AM-YD200E LED Emergency (Mobile)

- YD200E (LED) AC/DC cold light operating lamp meets the requirements of lighting for surgical operations in special circumstances or where there is no power supply.
- * When there is power failure from electric grid or due to some other reasons, emergency power back up can last 3 hours continuously to make sure that the operation can be done normally.





PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

Operating Lamp AML-LED.MSTZ5 LED

- + Imported LED cold light source is adopted, with the ultrathin optical lens.
- + Digital means are adopted for stepless regulation of LED brightness.
- + Light field size can be adjusted by the handle.
- + The removable handle sheath can be disinfected.
- + The service life of LED shadowless lamp is long (50,000h).
- + Color temp can be adjusted in three steps.
- With Endoscopy surgery light model



Operating Theatre Light AM-LED.MSTZ5E LED

- + Imported LED cold light source is adopted, with the ultrathin optical lens.
- + Digital means are adopted for stepless regulation of LED brightness.
- + Light field size can be adjusted by the handle.
- + The removable handle sheath can be disinfected.
- + The service life of LED shadowless lamp is long (50,000h).
- + Color temp can be adjusted in three steps.
- With Endoscopy surgery light model



Operating Theatre Light AM-LED.STZ5 LED

- + -Imported LED cold light source is adopted, with the ultrathin optical lens.
- + Digital means are adopted for stepless regulation of LED brightness.
- + Light field size can be adjusted by the handle.
- + The removable handle sheath can be disinfected.
- + The service life of LED shadowless lamp is long (50,000h).
- + Color temp can be adjusted in three steps.



Operating Theatre Lamp AM-L-LED.STZ5/STZ5 LED

 AML-LED.STZ5 series shadow less operation lamp are suitable for the requirements of various operation conditions and it is ideal operating lighting equipment for modern operation rooms and clean operation rooms.





PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

Shadowless Operating Lamp AM-L720 LED S

- + The Whole reflection optical system is made by CAD/CAM technology, its illumination depth is up to 1300mm; by using color temperature compensation technology, the color reversion is upraised, and it is more suitable for the illumination of the complex surgery such as encephalon surgery and thorax surgery.
- Almost unlimited LED life expectancy delivers tremendous product reliability and investment protection.



Shadowless Operating Lamp AML720/720 LED

- + The Whole reflection optical system is made by CAD/CAM technology, its illumination depth is up to 1300mm; by using color temperature compensation technology, the color reversion is upraised, and it is more suitable for the illumination of the complex surgery such as encephalon surgery and thorax surgery.
- * Almost unlimited LED life expectancy delivers tremendous product reliability and investment protection.



Shadowless Operating Lamp AM-L500S LED

- + The panel is made of German PC (anti-bullet plastic) by injection moulding, makes the light softer and more reliable. Equipped with imported balance arm suspension system, which is light and handy, six group joints move together and moves smoothly, positions stablely.
- + Almost unlimited LED life expectancy delivers tremendous product reliability and investment protection.



Shadowless Operating Lamp AM-L500/500 LED

- + The panel is made of German PC (anti-bullet plastic) by injection moulding, makes the light softer and more reliable. Equipped with imported balance arm suspension system, which is light and handy, six group joints move together and moves smoothly, positions stablely.
- Almost unlimited LED life expectancy delivers tremendous product reliability and investment protection.



Mental & Neonatal Healthcare.





PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

Infant Incubator AM-AI-E

- + Servo Control Mode: air mode
- + Instant Parameter Displaying: set temp, air temp, heat power rate
- + Audible & Visual Alarms: power failure, sensor failure, higher/lower temp,
- + air -temperature override, fan failure
- + Power failure reset memory and self-test function
- + Hood with dual slope: 4hand-ports



Transport Infant Incubator AM-AIT-1000

- + Air mode and Baby mode controlled by micro-computer
- Use AC Power and DC Power alternatively, DC12V or DC 24V Power on the ambulance
- Set temperature, air temperature, skin temperature and internal battery power can be displayed by LED separately
- + Double wall hood with side door
- + The infant bed can be pulled out easily



Infant Incubator AM-AI-1A

- Microprocessor based servo controlled temperature system
 Control mode: Air mode
- + Humidity is adjustable in two grades
- + Set temperature, air temperature, heating power are displayed sepa-
- rately by LED
- + Self testing function, various failure alarms by audible and visual
- + >37°C temperature set function



Infant Incubator AM-AI-1B

Microprocessor based servo controlled temperature system

Control mode: Air mode

Humidity is adjustable in two grades

Set temperature, air temperature, heating power are displayed separately by LED

Self – testing function, various failure alarms by audible and visual >37°C temperature set function





Infant Incubator AM-AI-2

- + Microprocessor based servo-controlled temperature system
- + Control modes: Air mode and baby skin mode
- + Humidity is adjustable continuously
- + Set temperature, air temperature, baby skin temperature, timer and
- + heating power are displayed separately by LED
- + Self testing function, various failure alarms by audible and visual
- + >37°C temperature set function



Infant Incubator AM-AI-3

+ 8.4 LCD display

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

- + Temperature monitoring
- + Temperature servo control
- + Humidity Monitoring
- + Humidity Servo Control
- + Air temperature and body temperature contorl two modes
- + Mattress tilt ±12°



Infant Phototherapy Unit AM-AL-5 LED

- + LED lamp as phototherapy radiating elements
- + Irradiance intensity is adjustable in 3 grades: low, middle, high
- + LCD screen display therapy time and integral time separately
- Equal light distribution, high intensity
- + Quiet, no noise of fan
- Count up timer and count down timer for exact and convenient treatment



Infant Phototherapy Unit AM-AL-3 LED

- + LED bulbs as phototherapy radiant source
- + Button control switch
- + Equal light distribution. High intensity
- + Quiet, no noise of fan Long life span
- + Timer for total using time and each treatment time
- + Count down timer
- Using on top of infant incubator for neonate bilirubin phototherapy treatment





PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

Infant Phototherapy Unit AM-B-300

- + 3.5 inch LCD TFT color touch control screen
- Light intensity adjustment with range 0-100% uW/cm2/nm by 5% increments
- + 16 pcs super LEDs and 4 pcs white examination LEDs
- Optional languages support
- + Green LED marking light ensure the users determine the active treatment zone inside ideal efficient area (50*25cm)



Infant Warmer AM-AW-EA

- Microprocessor based servo-controlled temperature system
- + Two modes: Manual and automatic
- + Set temperature and skin temperature display separately
- + Anti-explosion micro crystal quartz for radiation source
- + Self testing function, various failure alarms by audible and visual
- Transparent protector can be folded down, with two infusion seals
- + RS232 connector



Infant Warmer AM-AW-1A

- + Three modes: pre-warm, manual and automatic
- + Set temperature and skin temperature display separately
- + Anti-explosion micro crystal quartz for radiation source
- + Self testing function, various failure alarms by audible and visual
- + APGAR timer to record therapy time
- + Convenient X-ray cassette tray under infant mattress
- + Heater head can be adjusted ± 90° horizontally



Infant Warmer AM-AW-1B

- + Three modes: pre-warm, manual and automatic
- + Set temperature and skin temperature display separately
- + Anti-explosion micro crystal quartz for radiation source
- + Self testing function, various failure alarms by audible and visual
- + APGAR timer to record therapy time
- + Convenient X-ray cassette tray under infant mattress
- + Heater head can be adjusted ± 90° horizontally

Brochure Template Page No - 28

PRODUCT IMAGE DESCRIPTION



Infant Warmer AM-AW-1C

- + Three modes: pre-warm, manual and automatic
- + Set temperature and skin temperature display separately
- + Anti-explosion micro crystal quartz for radiation source
- + Self testing function, various failure alarms by audible and visual
- APGAR timer to record therapy time
- + Convenient X-ray cassette tray under infant mattress
- + Heater head can be adjusted ± 90° horizontally

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

- + Microprocessor based servo-controlled temperature system
- + Three modes of control: Pre-warm, manual and automatic
- Set temperature and central skin temperature, peripheral temperature, air temperature, APGAR timer, heating power display separately
- + 8" LCD colorful touch screen
- + Carbon steel heater for more effectivity
- + Special design inclined heater head is more convenience for X ray test









PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

Touch Screen PCR Analyzer AM-A100/A200T

- Newest Generation Peltier-based Technology, more Steady, Reliable and Durable
- + 7" Color Full Touch Screen, Graphical Display of Protocols
- Effortlessly Interchangeable Reaction Modules that Swap in Seconds without Tools.
- + Bilingual Interface (English and Chinese)
- + Unlimited storage of Protocols with USB Flash Drive



Touch Screen PCR Analyzer AM-A300 (Fast)

- Steplessly Adjustable Lid, accommodates a wide range of PCR tubes and plates
- With password-based authentication, prevent from view, copy and alteration of protocols
- Automatically calculates the melting and annealing temperature with two primer sequences



Urine Analyzer AM-UA-11C

- + Cold-light source with high luminosity, long shelf life
- + Innovative light sensor, high sensitivity
- + Automatic calibration improves accuracy
- + Standard RS232 interface for connect with external computer
- + Storage of 2,000 testing results



Urine Analyzer AM-UA-11B

- + Cold-light source with high luminosity, long shelf life
- + Innovative light sensor, high sensitivity
- + Automatic calibration improves accuracy
- + Standard RS232 interface for connect with external computer
- Storage of 1,000 testing results





Fully Automatic Urine Analyzer AM-KU-500

- + Low noise during operation
- + Built-in PC, large-capacity storage drive, storing millions of test results
- + Perfect quality control system
- + Optional bar code reader, convenient for information management
- + Perfect alarming system

PRODUCT DESCRIPTION

RODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

• 8 inch LCD touch screen, Windows system operation platform, English operation interface, simple and convenient



Blood Gas Analyzer AM-BG-800

- + Multi-combination parameters
- + Self-made maintenance free electrodes
- + Both for syringes & amp; capillary
- + 35UL for capillary, 95UL for whole blood
- + 1 min from the aspiration to result
- + Long-lasting fluid system
- + All-in-one design calibrate cartridge



Automatic Glycated Hemoglobin HbA1c Analyzer AM-AC6601

- + Accurate Principle of Methodology
- + Adopts classical and accurate principle of methodology lon exchange liquid chromatography, It is the gold standard of HbA1C analysis, and it is the only analysis method to really separate HbA1C directly by measuring the piecemeal absorbance through continuous test on line, and obtain the correct area percentage with integration.



Electrolyte Analyzer AM-AC9101

- + Audicom AC9101 Electrolyte Analyzer
- + Measuring Items: K+, Na+, Cl-,
- + Measuring Measuring time: 25s time
- + Time for sampling, measuring, washing and printing: 45s
- + Sample size: 100ul
- + Data storage: 10000 Samples
- + Communication interface: 232







PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

Medical Pharmacy Refrigerator (2 \sim 8 $^{\circ}$ C) AM-AMR-V1006

- Accurate temperature controller, ensure the inside temperature within 2~8°C and accuracy 0.1°C
- Specially designed forced-air cooling system, ensure frost-free cabinet and good temperature uniformity
- Suggested ambient temperature 10~32°C with humidity below 95%
- + Three-layer toughened glass door with heater to avoid condensation



Medical Pharmacy Refrigerator (2~8°C) AM-AMR-V656

- + Accurate Temperature control technology to make the temperature maintain 2~8°C and increment 0.1°C
- Specially designed forced-air cooling system, circulating air cold back blowing technology, ensure frost-free cabinet and good temperature uniformity.
- Suggested ambient temperature 10~32°C with humidity below 95%
- + Three-layer toughened glass door with heater to avoid condensation.



Medical Pharmacy Refrigerator (2~8°C) AM-AMR-V415

- ◆ Accurate temperature controller, ensure the inside temperature within 2~8°C and accuracy 0.1 °C.
- * Standard USB port, record once every ten minutes, can record 10 years of capacity. Easy to download data through USB port.
- Specially designed forced-air cooling system, ensure frost-free cabinet and good temperature uniformity.
- + Suggested ambient temperature 10~32°C with humidity below 95%.



Medical Pharmacy Refrigerator (2~8°C) AM-AMR-V416

- Accurate temperature controller, ensure the inside temperature within 2~8°C and accuracy 0.1°C
- Specially designed forced-air cooling system, ensure frost-free cabinet and good temperature uniformity
- + Suggested ambient temperature 10~32°C
- + Three-layer toughened glass door
- + Cold spray steel plate inner chamber for friendly using and easy clean-





PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

Centrifuge AM-80-2B

+ The frame of this instrument is made of high strength plastic. Its model is beautiful, and it has the advantages of small cubage, low weight, large capacity, low noise, high efficiency and so on.



Low Speed Centrifuge AM-LC-04L

+ Time: 0-99min+ Max RCF: 2325xg

- + Max RPM: 4000RPM, stepless speed adjustment
- + Rotor capacity: 20ml*12 (Standard Rotor 1)
- + Voltage: 110V 60Hz/220V 50Hz
- + Dimension: 320*340*280mm; Weight: 9kg
- + Strong plastic case



PRP Centrifuge AM-MCKS-1000/1200

- -Include with two kinds of centrifugal rotors, suitable for many kinds of centrifuge tubes and PCR tubes (two rows)
- + The products are suitable for the extraction of serum, supermatant, rapid precipitation of samples, micro blood cell separation, microbiological sample processing, PCD test, zoning centrifuge, etc.



Isotope Mini Centrifuge AM-MC-Series

- + Especially using for isotope
- + Transparent lid, easy for observation
- + Touch switch, automatic stop once lid open
- + A variety of rotors can be replaced
- + Rotor capacity: 0.2ml*6, 0.5ml*6, 1.5ml*6, 2ml*6, 0.2ml*16 (double rows)





PRODUCT DESCRIPTION

Portable Digital Slit Lamp AME-5S3

- AME-5S3 Portable Digital Slit Lamp Microscope is produced with high illumination white LED, and can be used about 5 to 6 hours continuously after fully recharged. The net weight is 750 g only, so that very convenient to be carried. And very proud that it is the very initial and most advanced portable model in China. With Nikon Camera & Camera adaptor & Background illumination & Fixation Lamp
- * Microscope type: Binocular crossed stereo microscope





PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

Slit Lamp AME-5S1

- + AME-5SIPortable Slit Lamp Microscope is produced with high illumination white LED, and can be used about 5 to 6 hours continuously after fully recharged. The net weight is 750 g only, so that very convenient to be carried. And very proud that it is the very initial and most advanced portable model in China.
- + Microscope type: Binocular crossed stereo microscope



Slit Lamp AME-5DII

- + Galilean unparalleled Optical give this slit lamp high depth of field view.
- + Drum rotation makes 5 steps magnification convenient to shift
- + The bulb and optical lens made of glass are imported from Germany.
- + All the lens are multi-coated, mildewproof and anti-reflection.
- + All the adaptors are universal.



Operating Microscope AM-AOM-101

- AOM Series Operating Microscopes using LED light source for coaxial illumination, have different working distance and magnification. They are featured for flexible handling and easy operation. They can be sued for micro-operation in ear-nose-throat, dental, ophthalmology, gynecology, and surgery.
- + AOM-101 is mainly used for micro-operating in ear-nose-throat surgery.



Biological Microscope AM-XSP-200SM

- Viewing head: Compensation Free Trinocular Head
- + Eyepieces: Wide Field Eyepiece, WF10X (WF16X optional)
- * Achromatic objective: 4X, 10X, 40X (S), 100X (S, Oil)-Stage: Double Layer Mechanical
- + Stage size: 125mm*115mm





Biological Microscope AM-XSZ-107BN

- Viewing head: Sliding Binocular Head Inclined at 45°
- + Eyepieces: Wide Field Eyepiece, WF10X (WF16X optional)
- + Achromatic objective: 4X, 10X, 40X (S), 100X (S, Oil)
- + Stage: Double Layer Mechanical
- + Stage size: 140mm*140mm

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

+ Moving Range: 75mm*45mm



Biological Microscope AM-XSP-200V

- Viewing head: Dual Observation Head, One Tube 30° Inclined and Another Tube Vertical, 360° Rotatable
- + Eyepieces: Wide Field Eyepiece, WF10X (WF16X optional)
- + Achromatic objective: 4X, 10X, 40X (S), 100X (S, Oil)
- + Stage: Double Layer Mechanical
- + Stage size: 125mm*115mm



Biological Microscope AM-XSP-136SM

- + Viewing head: Compensation Free Trinocular Head
- + Eyepieces: Wide Field Eyepiece, WF10X (WF16X optional)
- + Achromatic objective: 4X, 10X, 40X (S), 100X (S, Oil)
- + Stage: Double Layer Mechanical
- + Stage size: 125mm*135mm



Biological Microscope AM-XSP-136V

- Viewing head: Dual observation head, one tube 30° inclined and another tube vertical, 360° rotatable
- + Eyepieces: Wide Field Eyepiece, WF10X (WF16X optional)
- + Achromatic objective: 4X, 10X, 40X (S), 100X (S, Oil)
- + Stage: Double Layer Mechanical
- + Stage size: 125mm*135mm



CABINETS.

www.mogodhealthcare.com





PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

Biological Safety Cabinet AM-ABS-86IIA2 Class II A2

- + Small dimension, save space.
- + Centrifuge fan, speed adjustable; H14 HEPA filter.
- Motorized front window: the front window is motorized for convenient, one-hand operation.
- + Audio and visual alarm: Abnormal airflow velocity, Filter replacement,
- + Front window at unsafe height, High filter pressure alarm.



Biological Microscope AM-XSZ-107BN

- + Time reserve function.
- + Motorized front window.
- + ULPA filter life and UV life indicator.
- + Automatic air speed adjustable with filter block.
- + With memory function in case of power-failure.
- Work area surrounded by negative pressure, it can ensure maximum safety in work area.



Biological Safety Cabinet AM-ABS-IIA2 Series Class II A2

- + Motorized front window.
- + Time reserve function.
- + ULPA filter life and UV life indicator.
- + Automatic air speed adjustable with filter block.
- + With memory function in case of power-failure.
- + Audio and visual alarm (Abnormal airflow velocity; Filter replacement; Front window at unsafe height; High filter pressure alarm).



Mini Cabinet AM-ALF-V500/VII

- Vertical laminar flow cabinet ALF-V500, positive pressure in work area only protects sample.
- Class I biological safety cabinet ALF-VII, negative pressure in work area protects operator and environment.





Medicine Cabinet AM-SAC01

- + Size: 900×250/400x1750mm
- + 304 Stainless Steel
- + 4 shelves, 1 cabinet

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION



Instrument Cabinet With Glass AM-SAC03

- + Size: 900x400x1750mm
- + 304 Stainless Steel
- + 6 shelves



AM-SAC06 Injection Cabinet

- + Size: 900x400x530/300x1750mm
- 304 Stainless Steel
- + 4 shelves, 2 drawers, 1 cabinet



Bedside Cabinet AM-BS01

- + Size: 480*480*760mm
- + Frame: ABS Injection.
- Cabinet top, drawer, tray, layer board, door and the base are made of

 ABS
- + Towel hangers on the 2 sides of cabinet, that can be adjustable
- Dinning borad is between the drawer and tabletop





Bedside Cabinet AM-BS02

- + Size: 480*480*760mm
- + Frame: ABS Injection.

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

- Cabinet top, drawer, tray, layer board, door and the base are made of ABS
- + Towel hangers on the 2 sides of cabinet, that can be adjustable
- + Dinning borad is between the drawer and tabletop
- + Thermos, washbasin and other commodity can be put in it



Biological Microscope AM-XSZ-107BN

- + Size: 480*480*760mm
- + Frame: ABS Injection.
- + Cabinet top, drawer, tray, layer board, door and the base are made of ARS
- + Towel hangers on the 2 sides of cabinet, that can be adjustable
- + Dinning borad is between the drawer and tabletop



Horizontal Laminar Flow Cabinet AM-ALF-H1300/H1800

- + Main Body: Cold-rolled steel with anti-bacteria powder coating
- LED lamp, UV lamp*2, Base stand, Gas Tap, Waterproof socket*2, Water Tap (only for ALF-H1800)
- + Work Table:304 stainless steel



Horizontal Laminar Flow Cabinet AM-ALF-H1100/H1500

- + Main Body: Cold-rolled steel with anti-bacteria powder coating
- + LED lamp, UV lamp*2, Base stand, Waterproof socket*2, Hook*10
- + Electric height adjustable base stand





Medicine Cabinet AM-SAC01

- + Size: 900×250/400x1750mm
- + 304 Stainless Steel
- + 4 shelves, 1 cabinet

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION



Instrument Cabinet With Glass AM-SAC03

- + Size: 900x400x1750mm
- + 304 Stainless Steel
- + 6 shelves



AM-SAC06 Injection Cabinet

- + Size: 900x400x530/300x1750mm
- + 304 Stainless Steel
- + 4 shelves, 2 drawers, 1 cabinet



Bedside Cabinet AM-BS01

- + Size: 480*480*760mm
- + Frame: ABS Injection.
- Cabinet top, drawer, tray, layer board, door and the base are made of ABS
- + Towel hangers on the 2 sides of cabinet, that can be adjustable
- + Dinning borad is between the drawer and tabletop





Bedside Cabinet AM-BS02

- + Size: 480*480*760mm
- + Frame: ABS Injection.

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

- Cabinet top, drawer, tray, layer board, door and the base are made of ABS
- + Towel hangers on the 2 sides of cabinet, that can be adjustable
- + Dinning borad is between the drawer and tabletop
- + Thermos , washbasin and other commodity can be put in it



Biological Microscope AM-XSZ-107BN

- + Size: 480*480*760mm
- + Frame: ABS Injection.
- + Cabinet top, drawer, tray, layer board, door and the base are made of ARS
- + Towel hangers on the 2 sides of cabinet, that can be adjustable
- + Dinning borad is between the drawer and tabletop



Horizontal Laminar Flow Cabinet AM-ALF-H1300/H1800

- + Main Body: Cold-rolled steel with anti-bacteria powder coating
- + LED lamp, UV lamp*2, Base stand, Gas Tap, Waterproof socket*2, Water Tap (only for ALF-H1800)
- + Work Table:304 stainless steel



Horizontal Laminar Flow Cabinet AM-ALF-H1100/H1500

- + Main Body: Cold-rolled steel with anti-bacteria powder coating
- + LED lamp, UV lamp*2, Base stand, Waterproof socket*2, Hook*10
- + Electric height adjustable base stand













PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

Sony High Glossy (Thermal paper)

- + Water resistance high-gloss ultrasound printer paper, made in USA
- Thermafilm specifically designed for medical recording equipments such as ultrasound systems. Films are widely used with 3d printing machine.
- Ultrasound print papers are compatible with Sony and Mitsubishi black and white video graphic printers. It can easily tear in the cross direction and has minimal curling.



Eco Gel (ultrasound gel)

- + Ideal for Wide Range of Ultrasound Applications
- + Provides Required Viscosity
- + Advanced Salt, Alcohol & Perfume Free Formula
- + Efficient Package Design Eliminates Product Waste
- + Volume Options Available



AGFA CT FILM

- Radiomat G-Plus is a general X-ray film designed for use with green emitting intensifying screens
- The system speed of this film has been adapted for specific applications, according to the international guideline
- This permits the use of Radiomat G-Plus film in applications such as angiography, where it gives sharp and detailed images of even the smallest blood vessels as well as of bone structures



KONICA CT FILM

 Medical image recording film exclusively used for our dry laser imager products, which supports film under bright light. There is a rich lineup including various sizes and mammography film.









Digital X-Ray Machine AM-AR-5100

- + Generator output: 5.0 kW
- + kV range: 40 kV 120 kV in 1kv steps
- + mA range: 25~100 mA
- + Exposure time: 4 films per min, less than 20 ms per film
- + X-ray tube: Stationary anode tube with a focal spot of 1.5*1.5 mm
- + Collimator: Bright field light beam collimator with 120 W halogen lamp and auto shut-off facility.



High Frequency Digital Radiography System (DR) AM-AR-960-I

- + High-pressure trigger
- + X-ray tube

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

+ High-voltage cable




Fully Automatic Urine Analyzer AM-KU-500

- + Low noise during operation
- + Built-in PC, large-capacity storage drive, storing millions of test results
- + Perfect quality control system
- + Optional bar code reader, convenient for information management
- + Perfect alarming system
- * 8 inch LCD touch screen, Windows system operation platform, English operation interface, simple and convenient



High Frequency Digital Radiography X-Ray System AM-ARI-8500

- + This machine is applied to take radiography on every part of human
- + body, such as head, limbs, chest, limbus and abdomen and etc.







Digital Color Doppler Ultrasound Diagnostic System AM-K10 4D

- The familiar PC system, 15 inch LED monitor, ergonomic & rotatable design operation panel, free arm with 360 degree rotation and four probe connectors make the machine
- + operate easily and conveniently



Veterinary Handheld Ultrasound Scanner AM-V-3000A

- + Full digital beam forming technology
- Generate Report
- + 7 inch TFT LCD

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

- + A/DC and LI-battery operated
- + Human and veterinary double system (depend on your needs)
- + Light and compact design, simple to use




Veterinary Laptop Full Digital Ultrasound Scanner AM-AR-9000V

- This machine is applied to abdominal, urology, obstetrics and gynecology, pediatrics, neonatology, superficial structure, small organs, musculoskeletal, heart and so on.
- + It is applied to cow, horse, sheep, swine, cat, dog.
- + Inspection in the process of embryo transfer.
- + Recognition of false pregnancy of pig, horse etc.



High Frequency Digital Radiography X-Ray System AM-ARI-8500

- + Ultrasonic host operating system: Windows 8 operating system
- + Spectrum pulse Doppler
- + Direction energy Doppler
- + Real time three Synchronization
- + Space composite imaging
- + Organized harmonic imaging





LITHOTRIPSY EQUIPMENT.

Lithotripsy is a noninvasive (the skin is not pierced) procedure used to treat kidney stones that are too large to pass through the urinary tract. Lithotripsy treats kidney stones by sending focused ultrasonic energy or shock waves directly to the stone first located with fluoroscopy (a type of X-ray "movie") or ultrasound (high frequency sound waves). The shock waves break a large stone into smaller stones that will pass through the urinary system. Lithotripsy allows persons with certain types of stones in the urinary system to avoid an invasive surgical procedure for stone removal. In order to aim the waves, your doctor must be able to see the stones under X-ray or ultrasound.






HEMODIALYSIS EQUIPMENT.

Lithotripsy is a noninvasive (the skin is not pierced) procedure used to treat kidney stones that are too large to pass through the urinary tract. Lithotripsy treats kidney stones by sending focused ultrasonic energy or shock waves directly to the stone first located with fluoroscopy (a type of X-ray "movie") or ultrasound (high frequency sound waves). The shock waves break a large stone into smaller stones that will pass through the urinary system. Lithotripsy allows persons with certain types of stones in the urinary system to avoid an invasive surgical procedure for stone removal. In order to aim the waves, your doctor must be able to see the stones under X-ray or ultrasound.







LIST OF VETERINARY EQUIPMENT AND TOOLS

ESSENTIAL FOR VETERINARIANS: WHAT TOOLS DO VETERINARIANS USE?

- + Veterinary stethoscopes
- + Thermometers
- + Ophthalmic and aural examinations
- + Exam and procedure tables
- + Weighing Scales
- + Veterinary Ultrasounds
- Digital X-Ray machines
- + CT Scanners
- + Anaesthetic Machine
- + Surgical Instruments
- Monitoring Equipment
- + IV pumps
- + Warming Unit
- Microscopes
- + Centrifugal Machine





CONTACT US

LOCATION:

Abacus lane, Baba dogo road, godown Bl

Web: mogodghealthcare.co.ke

Email: info@mogodgroup.com

P.o box 24152-00100 nairobi